Parental Risk Factors

That Can Compromise Parents' Ability to Offer Their Child Support

□ Significant prenatal stressors

- □ No or poor prenatal care
- ☐ History of, or current substance abuse, smoking
- □ Teenage pregnancy
- □ Poor nutrition
- □ Premature labor
- □ Multiple births
- ☐ Genetic disorder(s)
- ☐ Chronic medical condition(s)
- □ Chronic allergies
- □ Sleep difficulties
- ☐ Rigid or chaotic pattern of arousal energy that is entrenched (hypoalert, hyperalert, flooded)
- □ Low maternal education
- ☐ Few familial financial resources
- ☐ Inadequate food, shelter, or clothing
- □ Unhygienic environment
- ☐ Limited community resources
- □ Loss of hearing or vision
- $\hfill\Box$ Inaccurate processing of information
- □ Slow processing of information
- □ Speech abnormality
- ☐ Learning disorder(s)
- ☐ Overreactive, underreactive, or both to sensory information
- □ Over or understimulating living environment
- ☐ A domestic violence participant
- ☐ Personal history of abuse and/or neglect
- ☐ History of children removed from home; abuse/neglect of other children
- Multiple children to care for
- ☐ Weak commitment to child
- ☐ Familial history of mental illness
- ☐ Chronically depressed or anxious
- ☐ Rapid swings into high-intensity emotions; low frustation
- ☐ Lack of empathy for self and others
- ☐ Difficulty making eye contact and lacking warmth
- Negative appraisal of child as willfully disobeying or as not loving parent
- ☐ Parent unable to set boundaries and over-accommodates
- ☐ Discrepancies exist among words, actions, or non-verbal communication
- $\hfill\Box$ Learning disruptions
- ☐ Inability to ask for help when necessary
- ☐ Motorically clumsy, awkward, or lethargic
- □ High distractibility
- ☐ High impulsivity
- □ Unable to delay gratification
- □ Lacks stable routines
- ☐ Adheres to rigid routines and habits, avoiding novelty
- ☐ Lack of knowledge concerning normative child
- ☐ Difficulty anticipating the need to sequence and implement agreed-on clinical input
- ☐ Lacks a willingness to incorporate a new way to understand a child's behavior (e.g., mental rigidity)
- ☐ Is unaware of, or inaccurately judges, own strengths and weaknesses
- ☐ Difficulty using hindsight, insight, and foresight for self-reflection and problem solving
- □ Lacks cause—effect reasoning
- ☐ Unable to hold self and others in mind at the
- ☐ Unable to consider the part in relation to the whole

Global Questions

REGULATION

a person show adequate recovery?

and flexible or rigid or chaotic?

Is the person's use of energy efficient

How does the person conserve energy?

Are stress responses adaptive? That is, does

Child Risk Factors

That Increase Children's Need for Adult Support

- □ Prenatal maternal stress
- □ No or poor prenatal care
- ☐ Intrauterine growth retardation or fetal malnutrition
- ☐ Toxins in utero
- □ Premature birth
- □ Genetic disorder(s)
- ☐ Infant medical condition(s)
- □ Chronic allergies
- □ Feeding problems
- □ Poor suck, swallow, and breathe coordination
- □ Poor nutrition
- □ Sleep difficulties
- ☐ Rigid or chaotic pattern of arousal energy that is entrenched (hypoalert, hyperalert, flooded)

SENSORY

- How quickly and efficiently does the child/ adult process sensory information?
- How reactive is the child/adult to sensory information from relationships?
- Is the child/adult leaning toward types of sensory information that are considered safe as opposed to those that are threatening?
- □ Loss of hearing / vision
- □ Inaccurate processing of information
- ☐ Slow processing of information
- □ Speech delay
- □ Learning disorder(s)
- ☐ Overreactive, underreactive, or both to sensory
- ☐ Institutional care or neglect without adequate sensory information

RELEVANCE

- Is the individual able to express a range of positive and negative emotions flexibly?
- How do experiences influence memories and appraisals?
- Are emotionally loving, significant, and long-term relationships present?
- Does the individual tend to attribute positive or negative meanings to experiences?

- Male preterm infant
- □ Exposure to domestic violence
- □ Abuse and/or neglect
- □ Traumatic memories
- □ Lack of emotional care due to foster care or orphanage placement
- ☐ Chronically depressed or anxious
- ☐ Rapid swings into high-intensity emotions; no frustration tolerance
- □ Lack of empathy for self and others
- ☐ Lack of eye contact absence of interest in others and/or lack of social referencing (overly detached)
- ☐ Highly demanding of others
- □ Over accommodating to others
- ☐ Lacks one person in the family who is strongly committed to child and who provides loving care
- ☐ Discrepancies exist between words, actions, or non-verbal communication
- □ Learning disruptions
- □ Inability to ask for help when necessary
- ☐ Motorically clumsy, awkward, or lethargic
- □ Lacks developmentally appropriate use of gestures to communicate needs and wants
- $\hfill \square$ Lacks developmentally appropriate use of words to problem solve
- ☐ High distractibility
- □ High impulsivity
- □ Unable to delay gratification
- ☐ Lacks developmentally appropriate abilities to sequence activities of daily living
- □ Adheres to ridgid routines an habits, avoiding novelty
- ☐ Lacks a willingness to incorporate a new way to understand own or other's behavior (e.g., mental
- ☐ Is unaware of, or inaccurately judges, own strengths and weaknesses
- ☐ Difficulty using hindsight, insight, and foresight for self-reflection and problem solving
- □ Lacks cause—effect reasoning
- □ Unable to hold self and others in mind at the same time
- □ Unable to consider the part in relation to the whole

EXECUTIVE

- Does child/adult show purposeful movement that is both adaptive and flexible?
- Can child/adult see the big picture?
- Can the child/adult stay on track in expressing a thought, emotion, or narrative?
- Can the child/adult complete tasks in a relatively smooth fashion?